



SDS Number: ATF

## Hot Shot's Secret Adrenaline ATF

Revision Date: 11/22/2018

Page 1 of 3

**1** PRODUCT AND COMPANY IDENTIFICATION**Manufacturer**

Lubrication Specialties, Inc.  
3975 Morrow Meadows Dr  
Mt. Gilead, OH 43338

**Emergency:** 1-800-424-9300 (Chemtrec)  
**Phone:** 1-800-341-6516

**Product Name:** Hot Shot's Secret Adrenaline ATF  
**Revision Date:** 11/22/2018  
**SDS Number:** ATF  
**CAS Number:** Blend  
**Product Code:** ATF

**2** HAZARDS IDENTIFICATION**Classification of the Substance or Mixture**

**GHS Classification in Accordance with 29 CFR 1910 (OSHA HCS):**  
None, None, None

**GHS Label Elements, Including Precautionary Statements**

**GHS Signal Word:** NONE

**GHS Hazard Pictograms:**

no GHS pictograms indicated for this product

**GHS Hazard Statements:**

H000 - None

**GHS Precautionary Statements:**

no GHS precautionary statements indicated

**3** COMPOSITION/INFORMATION OF INGREDIENTS**Ingredients:**

Cas#	%	Chemical Name
*****	>99%	Non-hazardous material

**4** FIRST AID MEASURES

**Inhalation:** If symptoms develop, move victim to fresh air. If symptoms persist, obtain medical attention.  
**Skin Contact:** Wash with soap and water. Remove contaminated clothing and wash before reuse. Get medical attention if needed.  
**Eye Contact:** Flush with water for several minutes. If effects occur, consult a physician.  
**Ingestion:** Rinse mouth with water. If symptoms develop, obtain medical attention.



SDS Number: ATF

## Hot Shot's Secret Adrenaline ATF

Revision Date: 11/22/2018

Page 2 of 3

**5 FIRE FIGHTING MEASURES****Flash Point:** >210° C (>410° F)

Use dry powder, foam, or carbon dioxide fire extinguishers.

Water may be ineffective in fighting an oil fire unless used by experienced fire fighters.

**6 ACCIDENTAL RELEASE MEASURES**

Contain spilled material.

Collect in suitable and properly labeled containers.

Pick up excess with inert absorbant material

Keep away from drains and ground water.

**7 HANDLING AND STORAGE****Handling Precautions:** Avoid contact with eyes, skin, or clothing.  
Keep away from sources of ignition.  
Handle with care and avoid spillage on the floor (slippage).  
Do not cut, weld, drill, grind, braze, or solder container.**Storage Requirements:** Keep away from sources of ignition.**8 EXPOSURE CONTROLS/PERSONAL PROTECTION****Engineering Controls:** All ventilation should be designed in accordance with OSHA standard (29 CFR 1910.94).**Personal Protective Equipment:** Use of safety glasses and gloves is recommended.**9 PHYSICAL AND CHEMICAL PROPERTIES**

<b>Appearance:</b>	Amber Red	<b>Odor:</b>	Petroleum-like
<b>Physical State:</b>	Liquid	<b>Solubility:</b>	Nil in water
<b>Spec Grav./Density:</b>	0.8481 at 60 F (Water = 1)	<b>Freezing/Melting Pt.:</b>	Not available
<b>Viscosity:</b>	6.2 cSt at 100 degrees C	<b>Flash Point:</b>	>210° C (>410° F)
<b>Boiling Point:</b>	Not available	<b>Vapor Density:</b>	Not available
<b>Flammability:</b>	Not available	<b>Bulk Density:</b>	7.076 lbs/gal
<b>Partition Coefficient:</b>	Not available	<b>UFL/LFL:</b>	Not available
<b>Vapor Pressure:</b>	Not available		
<b>pH:</b>	Not available		
<b>Evap. Rate:</b>	Not available		
<b>Decomp Temp:</b>	Not available		

**10 STABILITY AND REACTIVITY****Chemical Stability:** Product is stable under normal conditions.**Conditions to Avoid:** Excessive temperatures and open flame.**Materials to Avoid:** Strong Oxidizing Agents.**Hazardous Decomposition:** Combustion will produce carbon dioxide and, possibly toxic chemicals such as carbon monoxide.**Hazardous Polymerization:** Will not occur.



# Hot Shot's Secret Adrenaline ATF

SDS Number: ATF

Revision Date: 11/22/2018

Page 3 of 3

## 11 TOXICOLOGICAL INFORMATION

Repeated skin contact with this product may cause dermatitis or an oil acne.  
No test data available on product.  
No component is listed as a carcinogen, mutagen, or teratogen.  
LD50 / LC50 - No data available

## 12 ECOLOGICAL INFORMATION

Avoid exposing to the environment, no specific aquatic data available

## 13 DISPOSAL CONSIDERATIONS

Dispose of waste material in accordance with all local, state/provincial, and national requirements.  
Do not flush to surface water or drains.

## 14 TRANSPORT INFORMATION

DOT: Not regulated as a dangerous goods  
IATA: Not regulated as a dangerous goods  
IMDG: Not regulated as a dangerous goods

## 15 REGULATORY INFORMATION

**U.S. Federal regulations** : **United States inventory (TSCA 8b)**: All components are listed or exempted.  
**Clean Water Act (CWA) 307**: Lead; Benzene; Arsenic; Cadmium; Ethylbenzene; Naphthalene  
**Clean Water Act (CWA) 311**: Benzene; Ethylbenzene; Naphthalene; Xylene

**Clean Air Act Section 112 (b) Hazardous Air Pollutants (HAPs)** : Not listed

**Clean Air Act Section 602 Class I Substances** : Not listed

**Clean Air Act Section 602 Class II Substances** : Not listed

**DEA List I Chemicals (Precursor Chemicals)** : Not listed

**DEA List I Chemicals (Precursor Chemicals)** : Not listed

### SARA 302/304

#### Composition/information on ingredients

Name	%	EHS	SARA 302 TPQ		SARA 304 RQ	
			(lbs)	(gallons)	(lbs)	(gallons)
Sulphur dioxide	0 - 0.1	Yes.	500	-	500	-

**SARA 304 RQ** : 38226299.7 lbs / 17354740.1 kg [5417272 gal / 20506605.3 L]

### SARA 311/312

**Classification** : Immediate (acute) health hazard  
Delayed (chronic) health hazard

## SARA 313

	Product name	CAS number	%
Form R - Reporting requirements	Lead	7439-92-1	<0.0001

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.

### State regulations

- Massachusetts** : The following components are listed: Distillates, hydrotreated light paraffinic
- New York** : None of the components are listed.
- New Jersey** : The following components are listed: Distillates, hydrotreated light paraffinic; Distillates, hydrotreated heavy paraffinic
- Pennsylvania** : None of the components are listed.
- California Prop. 65**

**WARNING:** This product contains less than 0.1% of a chemical known to the State of California to cause cancer.

**WARNING:** This product contains less than 1% of a chemical known to the State of California to cause birth defects or other reproductive harm.

### PAO Automatic Transmission Fluid

Ingredient name	Cancer	Reproductive	No significant risk level	Maximum acceptable dosage level
Ethylbenzene	Yes.	No.	41 µg/day (ingestion) 54 µg/day (inhalation)	No.
Sulphur dioxide	No.	Yes.	No.	Yes.
Methanol	No.	Yes.	No.	23000 µg/day (ingestion) 47000 µg/day (inhalation)
Trimethyl phosphate	Yes.	No.	Yes.	No.
Benzene	Yes.	Yes.	6.4 µg/day (ingestion) 13 µg/day (inhalation)	24 µg/day (ingestion) 49 µg/day (inhalation)
Arsenic	Yes.	No.	0.06 µg/day (inhalation)	No.
Lead	Yes.	Yes.	15 µg/day (ingestion)	Yes.
Cadmium	Yes.	Yes.	0.05 µg/day (inhalation)	4.1 µg/day (ingestion)
Naphthalene	Yes.	No.	Yes.	No.

### Canada

#### Canadian lists

- Canadian NPRI** : None of the components are listed.
- CEPA Toxic substances** : None of the components are listed.

16

### OTHER INFORMATION

The information contained in this Safety Data Sheet relates only to the specific material designated. Lubrication Specialties, Inc. assumes no legal responsibility for use or reliance upon this data. This information is furnished without warranty, expressed or implied, except that it is accurate to the best knowledge of Lubrication Specialties, Inc.